# Diagnosis Association for Orders

Diagnosis Association from the Workflow Summary

To complete Diagnosis Association for individual orders requiring a diagnosis, follow the steps below.

1. In the Workflow Summary, navigate to the **Problem List/Dx** component to add and prioritize **This Visit** problems.
   - Designating and prioritizing **This Visit** problems prior to placing orders makes it easier to assign a diagnosis.

2. Navigate to the **Order Entry/Order Favorites** or the **New Order Entry** component.
3. Search for and select the appropriate order(s).
4. Click the **Orders for Signature** icon.

5. Click a cell to associate a **This Visit** problem with an order. Selecting multiple cells will associate more than one **This Visit** problems with an order.

   Note: The availability of auto association may vary with order types and maintenance of **This Visit** problems.

6. Click **Sign**.

If the This Visit problem association(s) should be modified:

1. Select **Association View** if association grid does not display.
2. To remove unwanted associations, select one of the *Clear* options: **Clear all associations, Clear column,** or **Clear row**.
3. Click a cell to select a different priority or remove the association.
4. Click **Modify Details** to modify the order and add diagnosis not displayed in the grid.

Diagnosis Association from the Orders Tab

1. From **Orders** on the Menu, click + **Add** to add an order.
2. Select the **Diagnosis & Problems** section.
3. Check the box to select a diagnosis.

    or

4. Select the diagnosis from the **Diagnosis** tab.
5. Search for diagnosis.

Associating Diagnoses to Multiple Orders with the Diagnosis Table

1. Click **Dx Table** to open the **Diagnosis Table for Unsigned Orders**.
2. Click a cell to select a priority or remove an association.