Lab Dept:	Hematology HEMOGLOBIN VARIANT, A2 & F QUANTITATION	
Test Name:		
General Information		
Lab Order Codes:	HGBCE	
Synonyms:	Hbg S and F Quantitation for Therapeutic Monitoring	
CPT Codes:	83020 – Hemoglobin fractionation and quantitation; electrophoresis	
Testing includes:	Hemoglobin variant, A2 and F measurement by capillary electrophoresis and reported as a %.	
Logistics		
Test Indications:	Monitoring patients with sickling disorders who have received hydroxyurea or transfusion therapy. This test is not intended for diagnostic purposes; thus it is assumed the patient's diagnosis is established. If the patient has never been appropriately studies, hemoglobin electrophoresis is necessary.	
Lab Testing Sections:	Hematology - Sendouts	
Referred to:	Mayo Medical Laboratories (MML Test: HGBCE)	
Phone Numbers:	MIN Lab: 612-813-6280	
	STP Lab: 651-220-6550	
Test Availability:	Daily, 24 hours	
Turnaround Time:	1 day, performed Monday - Saturday	
Special Instructions:	This test is not intended for diagnostic purposes. See <u>Test Indications</u> .	
Specimen		
Specimen Type:	Whole blood	
Container:	Lavender (EDTA) top tube Alternate tube: Yellow (ACD) or Green (Heparin)	
Draw Volume:	6 mL (Minimum: 1 mL) blood	

Processed Volume:	Same as Draw Volume.		
Collection:	Routine venipuncture		
Special Processing:	Lab Staff: Do Not centrifuge. Specimen should remain in original collection container. Do not freeze. Send refrigerated.		
Patient Preparation:	None		
Sample Rejection:	Testing cannot be performed on clotted samples; frozen specimens; mislabeled or unlabeled specimens; gross hemolysis		
Interpretive			

Reference Range:	Hgb Fraction	Age	Range

-		1
Hgb A	1 – 30 days:	5.9 – 77.2%
	1 – 2 months:	7.9 – 92.4%
	3 – 5 months:	54.7 – 97.1%
	6 – 8 months:	80.0 – 98.0%
	9 – 12 months:	86.2 – 98.0%
	13 – 17 months:	88.8 – 98.0%
	18 – 23 months:	90.4 – 98.0%
	>or = 24 months:	95.8 – 98.0%
Hgb A2	1 – 30 days:	0.0 – 2.1%
	1 – 2 months:	0.0 – 2.6%
	3 – 5 months:	1.3 – 3.1%
	>or = 6 months	2.0 - 3.3%
Hgb F	1 – 30 days:	22.8 - 92.0%
	1 – 2 months:	7.6 - 89.8%
	3 – 5 months:	1.6 – 42.2%
	6 – 8 months:	0.0 – 16.7%
	9 – 12 months:	0.0 – 10.5%
	13 – 17 months:	0.0 – 7.9%
	18 – 23 months:	0.0 - 6.3%
	>or = 24 months:	0.0 – 0.9%
Variant 1	All ages:	0.0%
Variant 2	All ages:	0.0%
Variant 3	All ages:	0.0%

Critical Values:	N/A
Limitations:	This test is not intended for diagnostic purposes. See <u>Test Indications</u> .
	Peaks present in zones Z9, Z7, Z6, Z5, Z3, and Z2 – recently labeled the Z(A), Z(F), Z(D), Z(E), Z(A2) and Z(C) zones, respectively – may not represent the hemoglobin fractions the zones are named after as other variants can migrate to these positions, including the F, A and A2 positions
Methodology:	Capillary electrophoresis
References:	Mayo Medical Laboratories Lab Web Page February 2017