

References

Numbing

Eichenfield LF, Funk A, Fallon-Friedlander S, Cunningham BB: A clinical study to evaluate the efficacy of ELA-Max (4% liposomal lidocaine) as compared with eutectic mixture of local anesthetics cream for pain reduction of venipuncture in children. *Pediatrics* 2002. 109(6):1093-9

Koh JL, Harrison D, Myers R, Dembinski R, Turner H, McGraw T: A randomized, double-blind comparison study of EMLA and ELA-Max for topical anesthesia in children undergoing intravenous insertion. *Paediatr Anaesth* 2004. 14(12):977-82; (2)

Taddio A, Manley J, Potash L, Ipp M, Sgro M, Shah V. Routine immunization practices: use of topical anesthetics and oral analgesics. *Pediatrics* 2007; **120**: e637–43.

Zempsky WT. Pharmacologic approaches for reducing venous access pain in children. *Pediatrics*. 2008 Nov;122 Suppl 3:S140-53.

Sucrose/Breastfeeding

Efe E, Ozer ZC. The use of breast-feeding for pain relief during neonatal immunization injections. *Appl. Nurs. Res.* 2007; **20**:10–16.

Harrison D, Stevens B, Bueno M *et al.* Efficacy of sweet solutions for analgesia in infants between 1 and 12 months of age: a systematic review. *Arch. Dis. Child.* 2010; **95**: 406–13.

Razek AA, El-Dein AN. Effect of breast-feeding on pain relief during infant immunization injections. *Int. J. Nurs. Pract.* 2009; **15**: 99–104.

Shah PS, Herbozo C, Aliwalas LL, Shah VS. Breastfeeding or breast milk for procedural pain in neonates. *Cochrane Database of Systematic Reviews* 2012, Issue 12. Art. No.: CD004950.

Stevens B, Yamada J, Lee GY, Ohlsson A. Sucrose for analgesia in newborn infants undergoing painful procedures. *Cochrane Database of Systematic Reviews* 2013, Issue 1. Art. No.: CD001069.

Distraction

Uman LS, Chambers CT, McGrath P J, Kisely SR. Psychological interventions for needle related procedural pain and distress in children and adolescents. *Cochrane Database of Systematic Reviews* 2006, Issue 4. Art. No.: CD005179

Neonates

Efe E, Ozer ZC. The use of breast-feeding for pain relief during neonatal immunization injections. *Appl. Nurs. Res.* 2007; **20**:10–16.

Fernandes, A., Campbell-Yeo, M., Johnston, C., Procedural pain management for neonates using non-pharmacologic methods, *Adv Neonatal Care* 2011 Aug;11(4):235-241

Gray, L., C. W. Lang, et al. "Warmth is analgesic in healthy newborns." *Pain* (2012). 153(5):960-966

Gray, L, Garza E, Zageris D, Heilman K, and Porges , "Sucrose and Warmth for analgesic in healthy newborns: An RCT." *Pediatrics* (2015). 135 e607-614.

Gray L, Miller LW, Philipp BL, Blass EM. Breastfeeding is analgesic in healthy newborns. *Pediatrics*. 2002 Apr;109(4):590-3. (3)

Harrison D, Loughnan P, Johnston L. Pain assessment and procedural

References

pain management practices in neonatal units in Australia. *J. Paediatr. Child Health* 2006; **42**: 6–9.

Johnston C, Campbell-Yeo M, Fernandes A, Inglis D, Streiner D, Zee R. Skin-to-skin care for procedural pain in neonates. *Cochrane Database of Systematic Reviews* 2014, Issue 1. Art. No.: CD008435.

Lago, P., Garetti, E., Merazzi, D., Pieragostini, L., Ancora, G., Pirelli, A., Bellieni C., Pain Study Group of the Italian Society of Neonatology. Guidelines for procedural pain in the newborn. *Foundation Acta Pædiatrica/Acta Pædiatrica* 2009 **98**, pp. 932–939

McNair, C., Yeo, M., Johnston, C., Taddio, A., Nonpharmacological Management of Pain During Common Needle Puncture Procedures in Infants; Current Research Evidence and Practical Considerations. *Clin Perinatol* 40 (2013) 493–508

Taddio A, Ohlsson A, Einarson TR, Stevens B, Koren G: A systematic review of lidocaine-prilocaine cream (EMLA) in the treatment of acute pain in neonates. *Pediatrics* 1998. 101(2):E1

Walden, M, Carrier, C The Ten Commandments of Pain Assessment and Management in Preterm Neonates *Crit Care Nurs Clin N Am* 21 (2009) 235–252

Immunizations

Briss PA, Rodewald LE, Hinman AR *et al.* Reviews of evidence regarding interventions to improve vaccination coverage in children, adolescents, and adults. The Task Force on Community Preventive Services. *Am. J. Prev. Med.* 2000; **18**: 97–140.

Dilli D, Küçük I, Dallar Y. Interventions to reduce pain during vaccination in infancy. *J. Pediatr.* 2009; **154**: 385–90.

Efe E, Ozer ZC. The use of breast-feeding for pain relief during neonatal immunization injections. *Appl. Nurs. Res.* 2007; **20**:10–16.

Harrison, D., Elia, S., Royle, J., and Manias, E. Pain management strategies used during early childhood immunisation in Victoria. *Journal of Paediatrics and Child Health* **49** (2013) 313–318

Luthy KE, Beckstrand RL, Pulsipher A. Evaluation of methods to relieve parental perceptions of vaccine-associated pain and anxiety in children: a pilot study. *J Pediatr Health Care.* 2013 Sep-Oct;27(5):351-8.

Razek AA, El-Dein AN. Effect of breast-feeding on pain relief during infant immunization injections. *Int. J. Nurs. Pract.* 2009; **15**: 99–104.

Schechter NL, Zempsky WT, Cohen LL, McGrath PJ, McMurtry CM, Bright NS. Pain reduction during pediatric immunizations: evidence-based review and recommendations. *Pediatrics* 2007; **119**:

Shah V, Taddio A, Rieder MJ. Effectiveness and tolerability of pharmacologic and combined interventions for reducing injection pain during routine childhood immunizations: systematic review and meta-analyses. *Clin. Ther.* 2009; **31**: S104–51.

Taddio A, Appleton M, Bortolussi R *et al.* Reducing the pain of childhood vaccination: an evidence-based clinical practice guideline. *Can. Med. Assoc. J.* 2010; **182**: E843–55.

Taddio A, Chambers CT, Halperin SA *et al.* Inadequate pain management during routine childhood immunizations: the nerve of it. *Clin. Ther.* 2009; **31** (Suppl. 2): S152–67.

Taddio A, Lord A, Hogan ME, Kikuta A, Yiu A, Darra E, Bruinse B, Keogh T, Stephens D.

References

A randomized controlled trial of analgesia during vaccination in adults. *Vaccine*.

2010 Jul 19;28(32):5365-9. □

Taddio A, Manley J, Potash L, Ipp M, Sgro M, Shah V. Routine immunization practices: use of topical anesthetics and oral analgesics. *Pediatrics*. 2007 Sep;120(3):e637-43.

Procedural Pain/ Positioning

Curtis,S., Wingert, A., and Ali, S. *The Cochrane Library* and procedural pain in children: an overview of reviews. *Evid.-Based Child Health* 7: 1363–1399 (2012)

Czarnecki, M., Turner, H., Collins, P., Doellman, D., Wrona, S., and Reynolds, J., Procedural Pain Management: A Position Statement with Clinical Practice Recommendations CHPN1524-9042, 2011 by the American Society for Pain Management Nursing

Emergency Nurses Association (ENA), Position Statement on; PEDIATRIC PROCEDURAL PAIN MANAGEMENT. Developed 2010, approved by the ENA Board of Directors: December 2010.

Hamilton JG. Needle phobia: a neglected diagnosis. *J Fam Pract* 1995;41:169-75; *J Paediatr Child Health* 2006;42 (Supplement1):S1-29

Johnston C, Campbell-Yeo M, Fernandes A, Inglis D, Streiner D, Zee R. Skin-to-skin care for procedural pain in neonates. *Cochrane Database of Systematic Reviews* 2014, Issue 1. Art. No.: CD008435.

Kennedy, R., Luhmann, J., and Zempsky, W. Clinical Implications of Unmanaged Needle-Insertion Pain and Distress in Children. *Pediatrics* 2008;122;S130

Kristjansdottir O, Unruh AM,, McAlpine L, McGrath PJ. A systematic review of cross-cultural comparison studies of child, parent, and health professional outcomes associated with pediatric medical procedures. *The journal of pain : official journal of the American Pain Society*. 2012 Mar;13(3):207-19.

Lee, G, Yamada, J, Kyololo O, Shorkey A, and Stevens B, Pediatric Clinical Practice Guideleines for Acute Procedural Pain: A Systematic Review , *Pediatrics*, 20174;133;500-515.

Melnyk BM. Intervention studies involving parents of hospitalized young children: an analysis of the past and future recommendations. *J PediatrNurs*. 2000 Feb;15(1):4-13.

Pillai Riddell RR, Racine NM, Turcotte K, Uman LS, Horton RE, Din Osmun L, Ahola Kohut S,Hillgrove Stuart J, Stevens,B, Gerwitz-Stern A. Non-pharmacological management of infant and young child procedural pain. *Cochrane Database of Systematic Reviews* 2011, Issue 10. Art. No.: CD006275.

Schlenz AM, McClellan CB, Mark TR, McKelvy AD, Puffer E, Roberts CW, et al. Sensitization to acute procedural pain in pediatric sickle cell disease: modulation by painful vaso-occlusive episodes, age, and endothelin-1. *J Pain* 2012 Jul;13(7):656-659

Shah PS, Procedural Pain in Children , *Cochrane Database of Systematic Reviews* 2006, Issue 3 (2)

Shah, V., Taddio, A., and Rieder, M., Effectiveness and Tolerability of Pharmacologic and Combined Interventions for Reducing Injection Pain During Routine Childhood Immunizations: Systematic Review and Meta-Analyses. *Clinical Therapeutics/Volume 31, Supplement B*, 2009

References

Tiedeman, M.. Anxiety responses of parents during and after the hospitalisation of their 5 - to - 11 year old children. *Journal of Pediatric Nursing* ,(1997) 12(2), 110-119

J Stinson, J Yamada, A Dickson, J Lamba, B Stevens. Review of systematic reviews on acute procedural pain in children in the hospital setting. *Pain Res Manage* 2008;13(1):51-57.

Weisman SJ, Bernstein B, Schechter NL: Consequences of inadequate analgesia during painful procedures in children. *Arch Pediatr Adolesc Med* 1998. 152:147-9

Wilson-Smith, E. Procedural Pain Management in Neonates, Infants and Children. *Reviews in Pain* 2011 5: 4

Young, K.D., PAIN MANAGEMENT REVIEW ARTICLE; Pediatric Procedural Pain
j.annemergmed.2004.09.019

Zempsky WT. Optimizing the management of peripheral venous access pain in children: evidence, impact, and implementation. *Pediatrics*. 2008 Nov;122 Suppl 3:S121-4.