

Using Phased Powerplans

Phased Powerplans are used to plan orders for use over multiple visits/encounters or different phases of care within the same encounter. This allows the provider the ability to plan all orders for known care ahead of time.

1. When first ordering a phased powerplan a window displays listing all the phases within the plan. The start date will default to today's date.
2. *If any of the orders are not to be initiated today*, enter the estimated date when the first phase should be initiated in the **Select Visit and Start Time** section. Once updated, the estimated start dates for all phases update based on the plan frequency.

For example, the Remicade Infusion 8-week Phased plan shown below displays an estimated start date for each infusion 8 weeks after the prior infusion.

Rabies Post Exposure Prophylaxis

Select Visit and Start Time

Confirm Day 0 Start Date/Time

01/02/2025 1225 CST

Confirm Phase Action

| Phase | Start Date/Time | Action |
|---------------------------------|---------------------------|-----------------------|
| Day 0 | *Est. 1/2/2025 12:25 CST | Plan for a later date |
| Day 3 | *Est. 1/5/2025 12:25 CST | Plan for a later date |
| Day 7 | *Est. 1/9/2025 12:25 CST | Plan for a later date |
| Day 14 | *Est. 1/16/2025 12:25 CST | Plan for a later date |
| Day 28 (Immunocompromised Only) | *Est. 1/30/2025 12:25 CST | Plan for a later date |

ZZZTEST, APPDEV2 - -emrn

OK Cancel

3. *If the first phase of the powerplan will be initiated today*, change the action of the first phase to **Order Now**. Leave all other phases as **Plan for a later date**.

Rabies Post Exposure Prophylaxis

Select Visit and Start Time

Confirm Day 0 Start Date/Time

01/02/2025 1227 CST

Confirm Phase Action

| Phase | Start Date/Time | Action |
|---------------------------------|---------------------------|-----------------------|
| Day 0 | *Est. 1/2/2025 12:27 CST | Order now |
| Day 3 | *Est. 1/5/2025 12:27 CST | Plan for a later date |
| Day 7 | *Est. 1/9/2025 12:27 CST | Plan for a later date |
| Day 14 | *Est. 1/16/2025 12:27 CST | Plan for a later date |
| Day 28 (Immunocompromised Only) | *Est. 1/30/2025 12:27 CST | Plan for a later date |

ZZZTEST, APPDEV2 - -emrn

OK Cancel

- If any phase other than phase one needs to be initiated, leave the start date as today's date and manually update the rest of the phases.

In this example, the plan is being initiated on Day 3 instead of Day 0.

Rabies Post Exposure Prophylaxis

Select Visit and Start Time

Confirm Day 0 Start Date/Time

01/02/2025 1227 CST

Confirm Phase Action

| Phase | Start Date/Time | Action |
|---------------------------------|---------------------------|-----------------------|
| Day 0 | *Est. 1/2/2025 12:27 CST | Plan for a later date |
| Day 3 | 1/5/2025 12:27 CST | Order now |
| Day 7 | *Est. 1/9/2025 12:27 CST | Plan for a later date |
| Day 14 | *Est. 1/16/2025 12:27 CST | Plan for a later date |
| Day 28 (Immunocompromised Only) | 01/30/2025 1227 CST | Plan for a later date |

ZZZTEST, APPDEV2 - emrn

OK Cancel

- In the Orders view, the left-hand navigation pane displays each phase:
 - Click on the title of the powerplan to view all orders from all phases in the View pane or click each individual phase to see the subset of orders for that phase only.
 - Select and/or modify orders as appropriate for each phase

Orders for Signature

Plans

Document In Plan

Medical

- Rabies Post Exposure Prophylaxis
 - Day 0 (Planned Pending)
 - Day 3 (Initiated Pending)
 - Day 7 (Planned Pending)
 - Day 14 (Planned Pending)
 - Day 28 (Immunocompromised Only) (Planned Pending)
- InFLIXimab every 8 weeks
- Pediatric Group Admission
- Endocrine Testing Glucose Tolerance Test Phased
- InFLIXimab every 4 weeks
- InFLIXimab every 4 weeks

Suggested Plans (0)

Orders

- Condition / ADT
- Patient Care
- Nursing Interventions
- IV Solutions
- Medications
- Diet
- Laboratory
- Blood Bank
- Radiology/Diagnostic Tests

click here to see orders for all phases


Advanced Options Type All Ordering Locations

Start: 1/5/2025 12:27 CST Duration: None

Rabies Post Exposure Prophylaxis, Day 3 (Initiated Pending), Ordered as Rabies Vaccine

| Component | Status | Dose | Details |
|--|--------|------|--|
| ✓ Patient Care | | | |
| ✓ Vital Signs | | | Once, Before procedure |
| ✓ Order (Free Text) | | | Observe patient for adverse reaction for 20 minutes after injection. |
| ✓ Patient/Family Education Materials | | | Instruct on Provide Vaccination Information Statement (VIS) to patient/family. Document pre-vacc |
| ✓ Notify MD/HO/APRN | | | |
| ✓ Precautions | | | |
| ✓ Medications | | | |
| ✓ rabies immune globulin, human (HyperRAB) | | | Give 20 Units/kg IntraMuscular Once |
| ✓ rabies vaccine, purified chick embryo cell (Rabivert) | | | Dose = 1 ml IntraMuscular Once |
| ✓ acetaminophen (Tylenol) | | | Give 15 mg/kg PO Once |
| ✓ ibuprofen (Motrin) | | | Give 10 mg/kg PO Once |
| ✓ Discharge Orders | | | |
| ✓ Discharge Patient | | | Home/Self Care, Reason for Visit Specify, Animal Bite |
| ✓ The following orders will print on the Patient Summary given to the family at discharge. | | | |
| ✓ Discharge Diet | | | Type Resume Diet at Home |
| ✓ Discharge Activity | | | Resume Normal Activity Yes |
| ✓ Discharge Instructions | | | |
| ✓ Special | | | |
| ✓ Future PP Initiation | | | |

6. When signed:
- Phase(s) with an action of **Order Now** will be **Initiated** and are active.
 - Phase(s) with an action of **Plan for a later date** will be in a **Planned** state, ready for initiation at a subsequent visit.



Note: A phase with missing required details will display with a question mark. Click into each phase to verify details are present. Order details should be completed within all phases before signing.

7. Once the encounter is discharged, active orders within initiated phases that have not been completed will be discontinued. Any orders within Planned phases, will remain available to initiate in the future.