□□□□□ □□□□ □□□□□□ □□□□



□□□□□ □□□□□ **(Hearing Aids)** □□□□□□ **/** □□□

- □□□□□ □□□ □□□□□□ □□□□□□ □□ □□□□□□ □□□□ □□□□ (water-resistant) □□□ □ □□□ □□ □□□□□□□□□ (waterproof) □□□□□
- □□□□□ □□□ □□□□□□□ □□□ □□□□□ □□ □□ / □□□ □□ □□□□□ □□ □□□□□ □□□□□ □□□ □□□□□□
- □□□□□□ □□ □□□□□□□ □□ □□ □□□□□ □□□ □□□□□□□ □□□□ □□ □□ (□□□□□ □□□ □□□□□) □□□□□
- □□□□ □□□□ (□□□□ □□□ □ □□□□□□ □ □□□ □□□ □ □□□.) □□□ □□□□□ □□□ □□□□□□□ □□□□
- □□□□□ □□□ □□□□□ □□□□ □□□ □□□□ □□□ □□□□□ □□ □□ □□□□□ □□□□ □□□□ (dry aid jar) □ □□□ □□□□ □□□ □□□□□:
- □□□□□ □□□□□ □□□□□ □□ □□□□□ (lotions) □□□□□□ □□□ □□□□□ □□□ □□□□□□□ □□□□□ (□□□□ □ □□□□ □□ □ □□□□ □□□□ □ □□□ □□□□□ (ear drops)□ □□□□ □□□□□ □□□(sunscreen) □ □□□□□ □□□□□ □□□(insect repellent)□ □□□.)
- □□□□□ □□□□□□ □□□□□ □□□ □□□□□□□ □□□□□□□□ □□ □□□ □□□□□ □□ □□□□ □□□ □□□□□□□□ □□ □□□□□

□□□□ □□□□□ □□□ **/ Daily Listening Check**

□□□□□ □□□ □□□□□□ □□□□□ □□□ □□□□ □□□ □ □□□□ □□ □□□□□ □□ □□□□ □□□ □□□□□ □□□ □□□□□□ □□ □□□□ □□□□ □□

□□□□ □□□□□ □□□ □□□□ □□□□□□□: -

- □□□□□ □□□□□ □□□□□ □□□ □□□□□□ □□ □□□-□□□□□□ □□□□ - □□□ □□□ □□□□□□□□□ □□□ □□□□□□□□ □ □□□ □□□□□□ □□□□ □□□□□□ □□ □□□-□□□□□ □□□(wax) □□□□□ □□□□□□ □□□□□ □□ □□□ □□□□ □□ □□□ □□□□ □□□□□□ □□ □□□□□ □□□ □□□□ □□ □□□□□□
- ባትሪውን ይፈትሹ ፡ የማዳመጫ ስኮፕ ምስል በመጠቀም ፣

  ከባትሪው + (የፖዘቲቭ) መጨረሻ እስከ + (ፖዘቲቭ) ሽቦ ድረስ ይንኩ ወይም መፈተሻውን □□□□□ □□□ ያ□□□ እና ከዚያ ከባትሪው - (ነጋቲቭ) መጨረሻ እስከ - (ነጋቲቭ) ሽቦ ድረስ ያስነኩ ወይም □□□□□□ □□□ □□ □□□□። አንዳንድ የአመላካች(indicator) ዓይነቶች ባትሪው “ጥሩ” ከሆነ ወይም መተካት ካለበት ይነግርዎታል ። ከዚህ ቀደም ባለው ቀን አዲስ ባትሪ አድርገውበት ቢሆንም እንኳ ባትሪዎች በየቀኑ መፈተሽ አለባቸው ።

- የመስሚያ መርጃ መሳሪያን ለማድመጥ የማዳመጫ መሳሪያ (listening scope) ፣

  የሚሰራ ባትሪ ማስገባትና በሩን መዝጋት ። ይ□□□ - □□□□□□ □□ □□□□ □□□ □□□□□ □□□□□ □□□ □□□□□□ □□□□ □□□-□□□□□□ □□□□□□ □□□ □□□ □□ (bell end) □□ □□□ □□ □□□□□ □□ □□□ □□□□ □□□ □□□□ □□ □□□□□ □□□□ □□□□ □□□□□ □□□□ □□□□□ □□□ □□□□□ □□□□ □□□□ (□□□□□ □□□□□ □□□□) □□□ (□□□, □□□, □□□, □□□, □□□, □□□)□ □□□□ □□□ □□ □□□□□□□ □□ □□□□□ □□□ □□□□□□

□□□□□ □□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□□

□□□□□ □□□□□ □□□□

□□□	□□□□
□□□□□ □□ □□□ □□□□□□ □□□ □□□□□ □□□ □□□□□□	□□□□□□□□ □□□ □□□□ □□□□□ □□□-□□□□□□□ □□□□ □□□□□ □□□□ □□□-□□□□□□□□ □□□□□ □□□□□ □□□□□
□□□□□ □□□ □□□□□ □□□ □□□ □□	□□□□□ □□□□ □□□□□ □□□ □□□□□ □□ □□□-□□□□□ □□□□ - □□□-□□□□□□ □□ □□□ □□□□□□□□ □□□ □□□□ □□□□ □□□ □□□□□□□□ □□□ □□□□ □□□□ □□□ □□□□ □□□-□□□□□□□□ □□□□□ □□□□□ □□□□□
□□□□□ □□□ □□□□□ □□□ □□□□ □□ □□ □□□□□□□□ □□□□□ □□□ □□□□□	□□□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □□□-□□□□ / □□ □□□ □□□□□ □□□ □□□ □□□□□ □□ □□□□□
□□□□□ □□□ □□□□□ □□□ □□□□ □□□ □□□□□ □□□(static sound) □□□	□□□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □□□-□□□□□□□□ □□□□□ □□□□□ □□□□□
Ling 6 □□□□ □□□ □□□□□	□□□□□ □□□□ □□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □□□□□□□□ □□□ □□□□ □□□□□ □□□-□□□□□□□ □□□□ □□□-□□□□□□□□ □□□□
□□□□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □□	□□□-□□□□□ □□□□□ □□□□ □□□ □□□□□ □□□□□ □□□-□□□□ □□ □□□□□□□□ □□ □□□□□ □□□□□ □□□□ □□□-□□□□□□□□ □□□□ □□□□ □□□□□

□□□ □□□□□ □□□□□□ □□□□□ □□□□□ □□□ □□□□ □□□ □□□□□□□□ □□□□□ □□□□□ □□□□ □□□□ □ 'Children's Minnesota Hearing Aid Hotline' □□□□ □□□□ '612-813-7610' □□□□ □□ □□□□□ □□□ □□□□□ □□□□ □□□□□□□□ □□□ □□□□□ □□□ □□□□ □□□□ □□□□ □□□□□ □□□□□□ □□□ □□□

□□□□□ □□□ □□□□ □□ **'Cochlear Implant'** □□□□□□ □□□□□□

□□□□ □□□□**: 612-874-1292**

hearingaids@childrensmn.org

□□□□ □□ □□□□□: 612-813-7610

cochlearimplants@childrensmn.org

Children's Hospital □□□□□□ **-** □□□□

Children's Specialty Center

2530 Chicago Avenue South, Suite 450

Minneapolis, MN 55404

Children's Hospital - Saint Paul □□□□

Gardenview Medical Building

347 North Smith Avenue, Suite 600

St. Paul, Minnesota 55102

Children's Hospital – Minnetonka

5950 Clearwater Drive, Suite 510

Minnetonka, MN 55343

Children's Hospital – Woodbury □□□□

628 Bielenberg Drive, Suite 201

Woodbury, MN 55125

□□□□□ □□□ □□□□□ □□□□

□□□□□ □□□ □□ □□□□□ □□□ □□□□: 1-800-222-1222

https://poisonhelp.hrsa.gov/poison-centers