

---

**Lab Dept:** Chemistry

**Test Name:** ANTI-MULLERIAN HORMONE, SERUM

---

***General Information***

**Lab Order Codes:** AMUL

**Synonyms:** AMH

**CPT Codes:** 82397 – Chemiluminescent assay

**Test Includes:** Anti-Mullerian Hormone level reported in ng/mL.

---

***Logistics***

**Test Indications:** May be useful in evaluation of sexual maturation and reproductive disorders.

**Lab Testing Sections:** Chemistry - Sendouts

**Referred to:** Esoterix Laboratories (ESL Test: 500043)

**Phone Numbers:** MIN Lab: 612-813-6280

STP Lab: 612-813-6280

**Test Availability:** Daily, 24 hours

**Turnaround Time:** 2 - 5 days, performed Monday - Friday

**Special Instructions:** Send collected specimens to the lab immediately. Specimens must be centrifuged within one hour of collection.

---

***Specimen***

**Specimen Type:** Blood

**Container:** SST (Gold, marble or red) tube

**Draw Volume:** 3 mL (Minimum: 0.6 mL) blood

**Processed Volume:** 1 mL (Minimum: 0.2 mL) serum

Note: Submission of the minimum volume does not allow for repeat analysis.

**Collection:** Routine venipuncture

**Special Processing:** Lab Staff: Centrifuge specimen within one hour of collection. Separate serum aliquot into a screw capped plastic vial. Store and ship at frozen temperatures.

**Patient Preparation:** None

**Sample Rejection:** Mislabeled or unlabeled specimen; incorrect specimen type; warm samples

---

***Interpretive***

**Reference Range:**

Age	Range (ng/mL)
<b>Males</b>	
0 – 6 years:	32.77 – 262.69 ng/mL
7 – 10 years:	45.26 – 191.34 ng/mL
20 – 98 years:	0.11 – 13.07 ng/mL
<b>Females</b>	
0 – 6 years:	0.53 – 7.78 ng/mL
7 – 19 years:	1.05 – 12.86 ng/mL
20 – 25 years:	1.23 – 11.51 ng/mL
26 – 30 years:	1.03 – 11.10 ng/mL
31 – 35 years:	0.66 – 8.75 ng/mL
36 – 40 years:	0.42 – 8.35 ng/mL
41- 46 years:	0.26 – 5.81 ng/mL
47 – 54 years:	< or = 0.82 ng/mL
55 – 97 years:	< or = 0.18 ng/mL

**Critical Values:** N/A

**Limitations:** N/A

**Methodology:** Chemiluminescent Assay

**References:** [Esoterix Laboratory Services Web Page](#) December 2017

**Updates:** 3/10/14: CPT update, previously listed as 83519.  
12/19/2017: Updated method and reference ranges