

Formula Adjustment

(Nutramigen® or Nutramigen® with Enflora™ LGG®)

Why do I need to adjust the calories in my baby's formula?

Nutramigen® or Nutramigen® with Enflora™ LGG® are made for babies who have allergies or need a formula that is easy for them to digest. Nutramigen® powder with Enflora™ LGG® contains a probiotic to keep the stomach and intestines healthy and working normally.

These formulas are usually prepared to 20 calories per ounce, but some babies may need a different calorie level to gain the right amount of weight.

How do I mix the formula?

1. Wash your hands and work surfaces with soap and water. Wash the top of the formula can before opening to prevent germs from getting into the baby's feeding. Use clean measuring utensils and containers.
2. Let the cold tap water run for 1-2 minutes before mixing with the formula to flush the water sitting in the pipes. Well water may contain bacteria and should not be used to make infant formula.
3. Follow the instructions in the next column for either liquid concentrate or powdered formula.

Using Nutramigen® liquid concentrate

1. Check the formula label. It should read "concentrate," **not** "ready-to-use." Shake the can before opening.
2. Check the recipe chart for liquid concentrate on page 3. Pour the formula concentrate from the can into another container.
3. Measure the desired amount of water in a clear, liquid measuring cup. Set the container on a level surface, and check the level of the liquid at eye level. Add the water to the concentrate and mix well.

Using Nutramigen® with Enflora™ LGG® powder

1. Check the recipe chart for powdered formula on page 4. Using a clear, liquid measuring cup, measure the desired amount of water. Set the measuring cup on a flat surface, and check the level of the liquid at eye level.
2. Use only cool water to make the formula. Using warm or hot water can limit the benefits from the probiotics.
3. Use only the scoop provided in the formula can or measuring utensils intended for dry ingredients. Pack and level the formula powder. Add the powder on top of the water.
4. Mix or shake well until all lumps are gone.

How long can I keep the formula?

Store prepared formula in a covered container in the refrigerator.

Throw away any unused formula prepared from concentrate after 48 hours.

Throw away any unused formula prepared from powder after 24 hours.

Throw away any unused formula powder one month after opening the can.

Preparing to feed your baby

1. Shake the formula well.
2. Warm the formula in one of these ways:
 - Run warm tap water over the bottle.
 - Set the bottle in a pan of warm water
 - Nutramigen® with Enflora™ LGG® should not be warmed beyond room temperature (75°F). Higher formula temperatures can limit the benefits from the probiotics.
 - **Do not** use a microwave because it heats unevenly, causing “hot spots” that could burn the baby’s mouth.
3. After warming, shake the bottle again. **Always** test the temperature of the formula before feeding.
4. Throw away any formula left in the baby’s bottle after a feeding.

Questions?

If you have any questions, please call Nutrition Services at your hospital during daytime hours.

Children’s - Minneapolis 612-813-6865
Children’s - St. Paul 651-220-5678



Nutramigen® Liquid concentrate recipe chart

Calories per ounce	Concentrate	Water	Final volume
<input type="checkbox"/> 22			
	13 ounces (1 can)	11 ounces	24 ounces
<input type="checkbox"/> 24			
	13 ounces (1 can)	9 ounces	22 ounces
<input type="checkbox"/> 26			
	13 ounces (1 can)	7 ounces	20 ounces
<input type="checkbox"/> 27			
	13 ounces (1 can)	6 ounces ($\frac{3}{4}$ cup)	19 ounces
<input type="checkbox"/> _____			
	13 ounces (1 can)		

Note: To make 20 calorie-per-ounce formula, follow the directions on the can.



Nutramigen® with Enflora™ LGG® Powdered formula recipe chart

Calories per ounce	Water	Formula powder (packed, level)	Approximate final volume
<input type="checkbox"/> 22	2 ½ ounces	2 tablespoons	3 ounces
	5 ½ ounces	3 scoops	6 ounces
	10 ounces (1¼ cups)	½ cup	11 ounces
	15 ounces	8 scoops	17 ounces
	20 ounces (2½ cups)	1 cup	22 ounces
<input type="checkbox"/> 24	6 ounces (¾ cup)	⅓ cup	7 ounces
	8 ounces	5 scoops	9 ounces
	9 ounces	½ cup	10 ounces
	13 ounces	8 scoops	15 ounces
	18 ounces (2¼ cups)	1 cup	20 ounces
<input type="checkbox"/> 26	3 ounces	2 scoops	3½ ounces
	8 ounces (1 cup)	½ cup	9 ounces
	11 ounces	⅓ cup + ⅓ cup	12½ ounces
	12 ounces (1½ cups)	8 scoops	14 ounces
	20 ounces (2½ cups)	1 cup + ¼ cup	23 ounces
<input type="checkbox"/> 27	9 ounces	¼ cup + ⅓ cup	10½ ounces
	10 ounces (1¼ cup)	7 scoops	11½ ounces
	13 ounces	9 scoops	15 ounces
	15½ ounces	1 cup	18 ounces
<input type="checkbox"/> _____			

1 Tablespoon = 3 teaspoons

Note: To make 20 calorie-per-ounce formula, follow the directions on the can.

Children's Hospitals and Clinics of Minnesota
Patient/Family Education
2525 Chicago Avenue South
Minneapolis, MN 55404
05/2013 ©Copyright

