

PARENT SCHOOL PROGRESS FOLLOW-UP EVALUATION

Parent to Complete in the month of ____

| Child's Name: | Date of Birth: | | Today's Dat | te: | |
|--|----------------------------------|--------------------------------|--------------|-----|------------|
| Parent's Name: | Pa | arent's Pl | hone Number: | | |
| Are your child's ADHD symptoms while on m If your child is currently taking ADHD medica Are your child's ADHD symptoms while on m including homework time? | | ∕es □ No Hours. ∕es □ No | | | |
| If not, what ADHD symptoms are not adequa | tely controlled during this time | e? | | | |
| Do you feel that your child needs more symp ADHD treatment plan? Do you feel that your child's current or prior A | | lo □Yes ∕es □No | | | |
| · · · | | 1 | | | |
| SYMPTOMS WHILE ON MEDICATIONS | | NEVER | OCCASIONALLY | | VERY OFTEN |
| Does not pay attention to details or makes careles homework. | s mistakes with, for example, | 0 | 1 | 2 | 3 |
| 2. Has difficulty keeping attention to what needs to be | e done. | 0 | 1 | 2 | 3 |
| 3. Does not seem to listen when spoken to directly. | | 0 | 1 | 2 | 3 |
| Does not follow through when given directions and due to refusal or failure to understand). | fails to finish activities (not | 0 | 1 | 2 | 3 |
| 5. Has difficulty organizing tasks and activities. | | 0 | 1 | 2 | 3 |
| 6. Avoids, dislikes, or does not want to start tasks that effort. | | 0 | 1 | 2 | 3 |
| Loses things necessary for tasks or activities (toys books). | , assignments, pencils, or | 0 | 1 | 2 | 3 |
| 8. Is easily distracted by noises or other stimuli. | | 0 | 1 | 2 | 3 |
| 9. Is forgetful in daily activities. | | 0 | 1 | 2 | 3 |
| 10. Fidgets with hands or feet or squirms in seat. | | 0 | 1 | 2 | 3 |
| 11. Leaves seat when remaining seated is expected. | | 0 | 1 | 2 | 3 |
| 12. Runs about or climbs too much when remaining s | | 0 | 1 | 2 | 3 |
| 13. Has difficulty playing or beginning quiet play activ | | 0 | 1 | 2 | 3 |
| 14. Is "on the go" or often acts as if "driven by a moto | r". | 0 | 1 | 2 | 3 |
| 15. Talks too much. | - ve al e te al | 0 | 1 | 2 | 3 |
| 16. Blurts out answers before questions have been c | ompietea. | 0 | 1 | 2 | 3 |
| 17. Has difficulty waiting his or her turn. 18. Interrupts or intrudes in on others' conversations | and/or activities | 0 | 1 | 2 | 3 |
| 19. Argues with adults. | | 0 | 1 | 2 | 3 |
| 20. Loses temper. | | 0 | 1 | 2 | 3 |
| 21. Actively defies or refuses to go along with adults' | requests and/or activities | 0 | 1 | 2 | 3 |
| 22. Deliberately annoys people. | | 0 | 1 | 2 | 3 |
| 23. Blames others for his or her mistakes or misbeha | vior. | 0 | 1 | 2 | 3 |
| 24. Is touchy or easily annoyed by others. | | 0 | 1 | 2 | 3 |
| 25. Is angry or resentful. | | 0 | 1 | 2 | 3 |
| 26. Is spiteful and wants to get even. | | 0 | 1 | 2 | 3 |
| 27. Is fearful, anxious, or worried. | | 0 | 1 | 2 | 3 |
| 28. Is afraid to try new things for fear of making mista | kes. | 0 | 1 | 2 | 3 |
| 29. Feels worthless or inferior. | | 0 | 1 | 2 | 3 |
| 30. Blames self for problems, feels guilty. 31. Feels lonely, unwanted, or unloved; complains th | at "na ana layaa him ar har" | 0 | 1 | 2 | 3 |
| 31. Feels lonely, unwanted, or unloved, complains in 32. Is sad, unhappy, or depressed. | | 0 | 1 | 2 | 3 |
| 33. Is self-conscious or easily embarrassed. | | 0 | 1 | 2 | 3 |



Name: _____ Date of Birth: _____

| Performance | EXCELLENT | Above Average | Average | Somewhat of A Problem | | Pro | BLEMATIC | |
|--|-------------------|------------------|---------|--------------------------|-------|------|----------|--|
| 34. Overall school performance | 1 | 2 | 3 | 4 | 4 | | 5 | |
| 35. Reading | 1 | 2 | 3 | 4 | Ļ | 5 | | |
| 36. Writing | 1 | 2 | 3 | 4 | Ļ | | 5 | |
| 37. Mathematics | 1 | 2 | 3 | 4 | Ť | | 5 | |
| 38. Relationships with parents. | 1 | 2 | 3 | 4 | Ť | | 5 | |
| 39. Relationships with siblings. | 1 | 2 | 3 | 4 | Ť | | 5 | |
| 40. Relationships with peers. | 1 | 2 | 3 | 4 | ļ | | 5 | |
| 41. Participation in organized activities (e.g. teams) | 1 | 2 | 3 | 4 | Ť | | 5 | |
| Side Effects: Has your child experienced any of the follo | owing side effect | ts or problems | in None | Mild | MODEF | RATE | SEVERE | |
| the past week? | | | | | | | | |
| Change of appetite | | | 0 | 1 | 2 | | 3 | |
| Weight loss | | | 0 | 1 | 2 | | 3 | |
| Trouble sleeping | | | 0 | 1 | 2 | | 3 | |
| Dull, tired, listless behavior | | | 0 | 1 | 2 | | 3 | |
| Chest pain | | | 0 | 1 | 2 | | 3 | |
| Stomachache | | | 0 | 1 | 2 | | 3 | |
| Headache | | | 0 | 1 | 2 | | 3 | |
| Tremors/feeling shaky | | | 0 | 1 | 2 | | 3 | |
| Repetitive movements, tics, jerking, twitching, eye blinki | ng | | 0 | 1 | 2 | | 3 | |
| Picking at skin or fingers, nail biting, lip or cheek chewin | g | | 0 | 1 | 2 | | 3 | |
| Irritability in the late morning, late afternoon, or evening | | | 0 | 1 | 2 | | 3 | |
| Problem behaviors when medications are wearing off | | | 0 | 1 | 2 | | 3 | |
| Excessive worrying, anxiety | | | 0 | 1 | 2 | | 3 | |
| Sees or hears things that aren't there | | | 0 | 1 | 2 | | 3 | |
| Socially withdrawn – decreased interaction with others | | | | 1 | 2 | | 3 | |
| Extreme sadness or unusual crying | | | 0 | 1 | 2 | | 3 | |
| Dizziness | | | | 1 | 2 | | 3 | |
| Skin rash | | | 0 | 1 | 2 | | 3 | |

COMMENTS:

| For Office Use Only | | | | | |
|----------------------------|----------------|--------|------------|----|---------------------------|
| Inattention 1-9: <u>/9</u> | Hyp-Imp 10-18: | /9 | ODD 19-26: | /8 | Dep / Anx 27-33 <u>/7</u> |
| Strengths: | | Weakne | esses: | | |
| | | | | | |



ADHD FOLLOW-UP SELF-REPORT

| me: Date of Birth: | | | | | | |
|---|-----------|--------------|------------|------------|--|--|
| Today's Date: Your Phone Number: | | | | | | |
| Are your ADHD symptoms while on medication controlled consistently three | ouahout t | he dav? | | ′es □ No | | |
| | - | - | — . | Hours. | | |
| If you are currently taking ADHD medication, how long does it control you | | | | | | |
| Are your ADHD symptoms while on medication controlled during after-sch | ool/work | hours | | | | |
| including homework time? | | | D Y | ′es 🛛 No | | |
| • If not, what ADHD symptoms are not adequately controlled during this tim | e? | | | | | |
| • Do you feel that you need more symptom control than what is provided by | vour cur | rent | | | | |
| ADHD treatment plan? | , | | | lo 🛛 Yes | | |
| • | 10 | | | | | |
| Do you feel that your current or prior ADHD medication is/was well tolerat | ed? | | ΠY | ′es 🛛 No | | |
| SYMPTOMS WHILE ON MEDICATIONS | NEVER | OCCASIONALLY | OFTEN | VERY OFTEN | | |
| 1. I do not pay attention to details, make careless mistakes on homework or other | | 1 | 2 | 3 | | |
| Work. | 0 | • | 2 | 5 | | |
| 2. I have difficulty paying attention to what needs to be done. | 0 | 1 | 2 | 3 | | |
| 3. I do not listen well when spoken to directly. | 0 | 1 | 2 | 3 | | |
| 4. I do not follow through when given directions and fail to finish activities. | 0 | 1 | 2 | 3 | | |
| 5. I have difficulty organizing tasks and activities. | 0 | 1 | 2 | 3 | | |
| 6. I avoid, dislike, or do not want to start tasks that require ongoing mental effort. | 0 | 1 | 2 | 3 | | |
| 7. I lose things necessary for tasks or activities (keys, glasses, wallet, important | 0 | 1 | 2 | 3 | | |
| papers or assignments). | | | • | | | |
| 8. I am easily distracted by noises or other stimuli. | 0 | 1 | 2 | 3 | | |
| 9. I am forgetful in daily activities. | , , | | _ | 3 | | |
| 10. I fidget and squirm a lot. | 0 | 1 | 2 | 3 | | |
| 11. I have trouble remaining seated when it is expected. 12. I am agitated and restless. | 0 | 1 | 2 | 3 | | |
| 13. I have difficulty engaging in leisurely activities quietly. | 0 | 1 | 2 | 3 | | |
| 14. I am "on the go" and have a hard time relaxing. | 0 | 1 | 2 | 3 | | |
| 15. I talk too much. | 0 | 1 | 2 | 3 | | |
| 16. I blurt out answers before questions have been completed. | 0 | 1 | 2 | 3 | | |
| 17. I have difficulty waiting my turn in conversations, activities, or driving. | 0 | 1 | 2 | 3 | | |
| 18. I interrupt or intrude in on others' conversations and/or activities. | 0 | 1 | 2 | 3 | | |
| 19. I argue with others often. | 0 | 1 | 2 | 3 | | |
| 20. I lose my temper. | 0 | 1 | 2 | 3 | | |
| 21. I actively defy or refuse to go along with others' requests and/or activities. | 0 | 1 | 2 | 3 | | |
| 22. I deliberately annoy people | 0 | 1 | 2 | 3 | | |
| 23. I blame others for my mistakes or misbehavior. | 0 | 1 | 2 | 3 | | |
| 24. I am touchy or easily annoyed by others. | 0 | 1 | 2 | 3 | | |
| 25. I am angry or resentful. | 0 | 1 | 2 | 3 | | |
| 26. I am spiteful and want to get even. | 0 | 1 | 2 | 3 | | |
| 27. I am fearful, anxious, or worried. | 0 | 1 | 2 | 3 | | |
| 28. I am afraid to try new things for fear of making mistakes. | 0 | 1 | 2 | 3 | | |
| 29. I feel worthless or inferior. | 0 | 1 | 2 | 3 | | |
| 30. I blame myself for problems, feel guilty.31. I feel lonely, unwanted, or unloved; complain that "no one loves me." | 0 | 1 | 2 | 3 | | |
| 32. I am sad, unhappy, or depressed. | 0 | 1 | 2 | 3 | | |
| 33. I am self-conscious or easily embarrassed. | 0 | . 1 | 2 | 3 | | |



Continued on Reverse

| PERFORMANCE | EXCELLENT | Above Average | Average | Somewhat of A Problem | | Pro | BLEMATIC |
|---|------------------|------------------|---------|--------------------------|-------|------|----------|
| 34. Overall school/work performance | 1 | 2 | 3 | 4 | 1 | 5 | |
| 35. Reading | 1 | 2 | 3 | 4 | 1 | 5 | |
| 36. Math | 1 | 2 | 3 | 4 | 1 | | 5 |
| 37. Writing | 1 | 2 | 3 | 4 | 1 | | 5 |
| 38. Relationships with parents. | 1 | 2 | 3 | 4 | 1 | | 5 |
| 39. Relationships with siblings. | 1 | 2 | 3 | 4 | 1 | | 5 |
| 40. Relationships with peers. | 1 | 2 | 3 | 4 | 1 | | 5 |
| 41. Relationship with spouse/significant other. | 1 | 2 | 3 | 4 | 1 | | 5 |
| Side Effects: Have you experienced any of the following | g side effects o | r problems in th | ne None | Mild | MODER | RATE | Severe |
| past week? | - | - | | | | | |
| Change of appetite | | | 0 | 1 | 2 | | 3 |
| Weight loss | | | 0 | 1 | 2 | | 3 |
| Trouble sleeping | | | 0 | 1 | 2 | | 3 |
| Dull, tired, listless behavior | | | 0 | 1 | 2 | | 3 |
| Chest pain | | | 0 | 1 | 2 | | 3 |
| Stomachache | | | 0 | 1 | 2 | | 3 |
| Headache | | | 0 | 1 | 2 | | 3 |
| Tremors/feeling shaky | | | 0 | 1 | 2 | | 3 |
| Repetitive movements, tics, jerking, twitching, eye blinking | | | 0 | 1 | 2 | | 3 |
| Picking at skin or fingers, nail biting, lip or cheek chewing | g | | 0 | 1 | 2 | | 3 |
| Irritability in the late morning, late afternoon, or evening | | | 0 | 1 | 2 | | 3 |
| Problem behaviors when medications are wearing off | | | 0 | 1 | 2 | | 3 |
| Excessive worrying, anxiety | | | 0 | 1 | 2 | | 3 |
| Sees or hears things that aren't there | | | 0 | 1 | 2 | | 3 |
| Socially withdrawn – decreased interaction with others | | | 0 | 1 | 2 | | 3 |
| Extreme sadness or unusual crying | | | 0 | 1 | 2 | | 3 |
| Dizziness | | | 0 | 1 | 2 | | 3 |
| Skin rash | | | 0 | 1 | 2 | | 3 |

COMMENTS:

| For Office Use Only | | | | | | | |
|---------------------|----|----------------|-------|------------|----|-----------------|----|
| Inattention 1-9: | /9 | Hyp-Imp 10-18: | /9 | ODD 19-26: | /8 | Dep / Anx 27-33 | /7 |
| Strengths: | | | Weakr | esses: | | | |
| | | | | | | | |

Provider Initials:_____

PHQ-9 modified for Adolescents (PHQ-A)

| Name: Date: Date: | | | | : | |
|-------------------|---|----------------------|------------------------|---|-------------------------------|
| we | tructions: How often have you been bothered by each or each symptom put an " X " in the box beneath t ling. | | | | |
| | 5 | (0) Not at all | (1) Several days | (2) More than half the days | (3) Nearly every day |
| | Feeling down, depressed, irritable, or hopeless? | | | | |
| 2. | Little interest or pleasure in doing things? | | | | |
| 3. | Trouble falling asleep, staying asleep, or sleeping too much? | | | | |
| 4. | Poor appetite, weight loss, or overeating? | | | | |
| 5. | Feeling tired, or having little energy? | | | | |
| | Feeling bad about yourself – or feeling that you are a failure, or that you have let yourself or your family down? | | | | |
| 7. | Trouble concentrating on things like school work, reading, or watching TV? | | | | |
| 8. | Moving or speaking so slowly that other people could have noticed? | | | | |
| | Or the opposite – being so fidgety or restless that you were moving around a lot more than usual? | | | | |
| 9. | Thoughts that you would be better off dead, or of hurting yourself in some way? | | | | |
| | | | | | |

| In the past year have you felt depressed or sad most days, even if you felt okay sometimes? | | | | | | | |
|---|---------------------|-----------------|----------------------|--|--|--|--|
| □Yes | □No | | | | | | |
| If you are experiencing any of the problems on this form, how difficult have these problems made it for you to do your work, take care of things at home or get along with other people? | | | | | | | |
| □Not difficult at all | □Somewhat difficult | □Very difficult | □Extremely difficult | | | | |
| | | | | | | | |
| Has there been a time in the past month when you have had serious thoughts about ending your life? | | | | | | | |
| □Yes | □No | | | | | | |
| Have you EVER, in your WHOLE LIFE, tried to kill yourself or made a suicide attempt? | | | | | | | |

**If you have had thoughts that you would be better off dead or of hurting yourself in some way, please discuss this with your Health Care Clinician, go to a hospital emergency room or call 911.

Office use only:

□Yes

Severity score:

Modified with permission from the PHQ (Spitzer, Williams & Kroenke, 1999) by J. Johnson (Johnson, 2002)

□No

GAD-7

| Over the <u>last 2 weeks</u> , how often have you been bothered by the following problems? (Use " "" to indicate your answer) | Not at all | Several days | More than half the days | Nearly every day |
|---|---------------|-----------------|-------------------------------|---------------------|
| | | | | |
| 1. Feeling nervous, anxious or on edge | 0 | 1 | 2 | 3 |
| 2. Not being able to stop or control worrying | 0 | 1 | 2 | 3 |
| 3. Worrying too much about different things | 0 | 1 | 2 | 3 |
| 4. Trouble relaxing | 0 | 1 | 2 | 3 |
| 5. Being so restless that it is hard to sit still | 0 | 1 | 2 | 3 |
| 6. Becoming easily annoyed or irritable | 0 | 1 | 2 | 3 |
| 7. Feeling afraid as if something awful might happen | 0 | 1 | 2 | 3 |
| (For office coding: Total Sco | ore T | = | + • | +) |

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.